AMENDMENTS TO THE CLAIMS

Please amend the Claims below by deleting items marked with a strikeout (i.e. patent) or brackets (i.e., [patent]) and adding items marked with an underline (i.e. patent).

1. Canceled. 2. Canceled. 3. Canceled. 4. Canceled. 5. Canceled. 6. Canceled. 7. (Canceled). (Currently Amended) [[The]] A retractable support stand for a snowmobile [[of Claim 6,]] 8. comprising: a slide channel mounted below a seat area the snowmobile in a horizontal fashion; an upright support member telecopingly mounted with said slide channel such that when said upright support member is at a forward end, it is fully stowed, and when said upright support member is at an aft end it is deployed and pivotally to such a position as to allow a snowmobile's drive track and suspension to be raised up off of the surrounding grade, wherein said upright support member terminates with a flexible plate spanning between a first cross

member and a second cross member to provide a significant enough footprint to prevent the retractable stand from penetrating into snow if the stand is being used under outdoor conditions.

- 9. (Original) The retractable support stand for a snowmobile of Claim 8, wherein said flexible plate is selected from the group comprising KEVLAR(TM), nylon, and canvas type material.
- 10. Canceled.
- 11. Canceled.
- 12. (Currently Amended) [[The improvement of Claim 11,]] <u>In a snowmobile, the improvement comprising:</u>

<u>a snowmobile bumper in combination with a retractable support stand concealably</u> <u>deployable from said bumper, wherein said retractable support stand comprises:</u>

a slide channel mounted below a seat area the snowmobile in a horizontal fashion;

an upright support member telecopingly mounted with said slide channel such that

when said upright support member is at a forward end, it is fully stowed, and when said upright

support member is at an aft end it is deployed and pivotally to such a position as to allow a

snowmobile's drive track and suspension to be raised up off of the surrounding grade.

wherein said upright support member terminates with a flexible plate spanning between a first

cross member and a second cross member to provide a significant enough footprint to prevent the retractable stand from penetrating into snow if the stand is being used under outdoor conditions.

- 13. (Original) The improvement of Claim 12, wherein said flexible plate is selected from the group comprising KEVLAR(TM), nylon, and canvas type material.
- 14. (New) The retractable support stand for a snowmobile of Claim 8, wherein said upright support member is further incorporated into a rear bumper